

Vital K30

Vital K30 contains potassium in citrate form for rapid uptake and plant stimulants for enhanced crop performance.

Completely soluble and plant available, delivering the required quantity of nutrients with low application rates.

Potassium - is essential for translocation of sugars and starch formation; it is also required for leaf stomata opening/closing, strengthens plants and improves plant resistance to drought and disease. Fruit trees have a high potassium requirement. Potassium should be applied during fruit growth to aid filling, ripening and colour formation.

DIRECTIONS FOR USE

Use during fruit fill, ripening and any other stages that require extra potassium.

Suitable for a wide range of crops via irrigation, soil drench and foliar spray. Application should be avoided when crop is under stress (from any cause) or when there are extreme weather conditions such as temperatures over 28°C, high humidity, frost or rain.

Do not apply Vital K 30 if there are any residues of copper sprays on target plants.

APPLICATION RATES:

Apply as required using the rate best suited to the crop and program you are incorporating this product into.

Fruit & Nut Trees

10-15L/ha as fertigation;

Vines 7-10L/ha as foliar spray

10-20L/ha as fertigation

2 - 4L/ha as foliar spray (1:200 dilution)

Vegetables 15 - 20L/ha as

fertigation; 7 - 10L/ha as foliar spray

Field Crops 2-7L/ha as foliar spray

Minimum dilution rate 1:100 with water.

Each farmer's situation and processes and practices may differ and therefore necessitate corrections to ensure optimum results.




Rates adjusted according to production levels. Repeat as required. Always test for compatibility and crop suitability prior to use. Seek advice for rates suited to your crop.

VITALK30

Ideal for fruit and vegetable production

High analysis potassium fertiliser (0-0-30) with plant stimulants.

- For foliar, fertigation or soil drench applications
- Enhanced foliar uptake
- Helps filling, ripening & colour of fruit

	20L
	200L
	1,000L



TYPICAL ANALYSIS:

K 30% as citrate

PRECAUTIONS:

To avoid damage to crops:

- Physically compatible with a wide range of commonly used products. Always mix a small quantity (jar test) and check for physical compatibility before combining with other ingredients.
- When applying for the first time, or in combination with other chemicals, a small test area should be sprayed and observed prior to the total spray.
- Do not swallow. The spray from this product may act as an irritant. Avoid inhalation and contact with eyes and skin.
- Wear protective clothing, safety glasses and gloves when using this product.

CLEAN UP PROCEDURE:

Use all mixture in irrigation and spray tanks; purge tanks and lines with clean water; flush irrigation lines. Do not return mix to original drums.

STORAGE:

Store in original container away from direct sunlight.

DISCLAIMER:

Sustainable Ventures Pty Ltd has no control over farming methods, application of the product, irrigation systems, weather or growing conditions. Consequently, no responsibility or liability for any failure in performance, losses, damages or injuries will be accepted by Sustainable Ventures, its distributors or agents following the use of this product. Seek independent advice prior to use.



Sustainable Ventures Pty Ltd
PO Box 419 Cottesloe WA
03 9008 6352
www.sustainablefarming.com.au